



INSTITUTE FOR FAMILY-CENTERED CARE

7900 WISCONSIN AVE., SUITE 405, BETHESDA, MD 20814 PHONE: 301-652-0281

NEWBORN INTENSIVE CARE BIBLIOGRAPHY

Design Planning

The American Institute of Architects Academy of Architecture for Health and the Facility Guidelines Institute. (In press). *Guidelines for design and construction of hospital and health care facilities*. Washington, D.C.: The American Institute of Architects. (Available for review at http://www.aia.org/aah_gd_hospcons.)

The American Institute of Architects Academy of Architecture for Health and the Facility Guidelines Institute. (2001). *Guidelines for design and construction of hospital and health care facilities*. Washington, D.C.: The American Institute of Architects.

Berry, L. L., Parker, D., Coile, R. C., Hamilton, D. K., O'Neill, D. D., & Sadler, B. L. (2004). The business case for better buildings. *Frontiers of Health Services Management*, 21(1), 3-24. (Review)

Bowie, B. H., Hall, R. B., Faulkner, J., & Anderson, B. (2003). Single-room infant care: Future trends in special care nursery planning and design. *Neonatal Network*, 22(4), 27-34. (Program Description)

Brown, P., & Taquino, L. T. (2001). Designing and delivering neonatal care in single rooms. *Journal of Perinatal and Neonatal Nursing*, 15(1), 68-83. (Program Description)

Child health facility design bibliography: 1987-1995. (1995). Bethesda, MD: Institute for Family-Centered Care.

DePaul, D., & Chambers, S. E. (1995). Environmental noise in the neonatal intensive care unit: Implications for nursing practice. *Journal of Perinatal & Neonatal Nursing*, 8(4), 71-76. (Study)

Evans J. B., & Philbin, M. K. (2000). Facility and operations planning for quiet hospital nurseries. *Journal of Perinatology*, 20(8 Pt 2), S105-S112. (Review)

Fournier, M. A. (1999). *Impact of a family-centered care approach on the design of neonatal intensive care units*. Unpublished doctoral dissertation. Texas A&M University, Texas. (Study)

Hall, J. H. (Executive Producer). (1995). *Designing for family-centered care*. [Videotape]. Bethesda, MD: Institute for Family-Centered Care. (Review and Program Description)

Hall, J. H., & Johnson, B. H. (In press). *Design planning for newborn intensive Care* (3rd ed.). Bethesda, MD: Institute for Family-Centered Care. (Review and Practice Guidelines)

Johnson, B. H., Abraham, M. R., & Parrish, R. N. (2004). Designing the neonatal intensive care unit for optimal family involvement. *Clinics in Perinatology*, 31(2), 353-383. (Review and Program Description)

Martin, G. I. (Ed.) (2003). [Supplement on recommended standards for newborn ICU design]. *Journal of Perinatology*, 23(n1s).

- Martin, G. I. (Ed.) (2000). [Supplement focusing on sound, its impact on fragile infants, and the neonatal environment]. *Journal of Perinatology*, 20 (8 Pt 2).
- McGrath, J. M. (2005). Single-room design in the NICU: Making it work for you. *Journal of Perinatal and Neonatal Nursing*, 19(3), 210-211. (Review)
- Ulrich, R., Zimring, C., Quan, X., & Joseph, A. (2004). The role of the physical environment in the hospital of the 21st century: A once-in-a-lifetime opportunity. Retrieved September 2004, from http://www.healthdesign.org/research/reports/physical_envIRON.php. (Review)
- Walsh-Sukys, M., Reitenbach, A., Hudson-Barr, D., & DePompei, P. (2001). Reducing light and sound in the neonatal intensive care unit: An evaluation of patient safety, staff satisfaction and costs. *Journal of Perinatology*, 21(4), 230-235. (Study)
- Webster, P. D., & Johnson, B. H. (1999). *Collaborative design planning*. Bethesda, MD: Institute for Family-Centered Care. (Review, Practice Guidelines, and Program Description)
- White, R. D. (1996). Enhanced neonatal intensive care design: A physiological approach. *Journal of Perinatology*, 16, 381-384. (Review)
- White, R. D. (2002). *Recommended standards for newborn ICU design*. Retrieved September 9, 2005, from <http://www.nd.edu/~kkolberg/DesignStandards.htm>. (Guidelines)
- White, R. D. (2004). Mothers' arms – the past and future locus of neonatal care? *Clinics in Perinatology*, 31(2), 383-388. (Commentary)
- White, R. D. (Ed.). (2004). *Clinics in Perinatology*. (Theme issue: The sensory environment of the NICU: Scientific and design-related aspects). 31(2). (Review)
- White, R., Martin, G. I., & Graven, S. N. (1999). Newborn intensive care unit design: Scientific and practical considerations. In G. B. Avery, M. F. Fletcher, & M. G. MacDonald (Eds). *Neonatology: Pathophysiology and management of the newborn* (pp. 49-59). Philadelphia: Lippincott, Williams, & Wilkins. (Review and Practice Guidelines)
- White, R., & Newbold, P. A. (1995). Reinventing the newborn ICU. *Healthcare Forum Journal*, 38(2), 30-33. (Review)
- Williams, S. T., & Burger, C. A. (1998). A research-based environment: A NICU that feels like home. *The Academy Journal*, 1(Pt 1). Retrieved September 13, 2005 from <http://www.aia.org/static/journal/articles/01/article01a.asp>. (Program Description)

Developmental Care

- Als, H., Duffy, F. H., McAnulty, G. B., et al. (2004). Early experience alters brain function and structure. *Pediatrics*, 113(4), 846-857.
- Als, H., & Gilkerson, L. (1997). The role of relationship-based developmentally supportive newborn intensive care in strengthening outcomes of preterm infants. *Seminars in Perinatology*, 21(3), 178-189. (Review)
- Als, H., Lawhon, G., Duffy, F. H., McAnulty, G. B., Gibes-Grossman, R., & Blickman, J. G. (1994). Individualized developmental care for the very low birthweight preterm infant: Medical and neurofunctional effects. *Journal of the American Medical Association*, 272(11), 853-858. (Study)
- Buehler, D. M., Als, H., Duffy, F. H., McAnulty, G. B., & Liederman, J. (1995). Effectiveness of individualized developmental care for low-risk preterm infants: Behavioral and electrophysiologic evidence. *Pediatrics*, 96(5), 923-932. (Study)

Fleisher, B. E., VandenBerg, K., Constantinou, J., Heller, C., Benitz, W. E., Johnson, A., et al. (1995). Individualized developmental care for very-low-birth-weight premature infants. *Clinical Pediatrics*, 34(10), 523-529. (Study)

Lawhon, G. (2003). Challenges in providing developmentally supportive care: A case presentation. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 32(3): 387-392. (Case Study)

Lawhon, G. (1997). Providing developmentally supportive care in the neonatal intensive care unit: An evolving challenge. *Journal of Perinatal and Neonatal Nursing*, 10(4), 48-61. (Review)

Ohgi, S., Fukuda, M., Akiyama, T., & Gima, H. (2004). Effects of an early intervention programme on low birthweight infants with cerebral injuries. *J. Paediatr. Child Health*, 40, 689-695. (Study)

Sizun, J., & Westrup, B. (2004). Early developmental care for preterm neonates: A call for more research. *Arch Dis Child Fetal Neonatal Ed*, 89, F384-F389. (Review and Commentary)

Symington, A., & Pinelli, J. (2003). Developmental care for promoting development and preventing morbidity in preterm infants (Cochrane Review). In: *The Cochrane Library*, Issue 3. Oxford: Update Software. (Metanalysis)

Westrup, B., Agneta, K., von Eichwald, K., Stjernqvist, K., & Lagercrantz, H. (2000). A randomized, controlled trial to evaluate the effects of the Newborn Individualized Developmental Care and Assessment Program in a Swedish setting. *Pediatrics*, 105(1), 66-72. (Study)

Discharge

Able-Boone, H., & Stevens, E. (1994). The intensive care nursery: Families' perceptions of their well being. *Children's Health Care*, 23(2), 99-114. (Study)

American Academy of Pediatrics. (1998). Hospital discharge of the high-risk neonate—Proposed guidelines (RE9812). *Pediatrics*, 102(2), 411-417. (Practice Guidelines)

Browne, J. V., Langlois, A., Ross, E. S., & Smith-Sharp, S. (2001). Beginnings: An interim individualized family service plan for use in the intensive care nursery. *Infants and Young Children*, 14(2), 19-32. (Program Description)

Bondurant, P.G., & Brinkman, K. S. (2003). Developmentally supportive care in the newborn intensive care unit: Early intervention in the community. *Nursing Clinics of North America*, 38(2), 253-269. (Review)

Broyles, R. S., Tyson, J. E., Heyne, E. T., Heyne, R. J., Hickman, J. F., Swint, M., et al. (2000). Comprehensive follow-up care and life threatening illnesses among high-risk infants. *Journal of the American Medical Association*, 284(16), 2070-2076. (Study)

Bruder, M. B., & Cole, M. (1991). Critical elements of transition from NICU to home and follow up. *Children's Health Care*, 20(1), 40-49. (Program Description)

Bruder, M. B., & Walker, L. (1990). Discharge planning: Hospital to home transitions for infants. *Topics in Early Childhood Special Education*, 9(4), 26-42. (Program Description)

Brun, D. A., & Steeples, T. (2001). Partners from the beginning: Guidelines for encouraging partnerships between parents and NICU and EI professionals. *Infant-Toddler Intervention*, 11(3-4), 237-247. (Review Practice and Program Description)

Cox, M. (1996). Discharge planning for the high-risk infant. In E. Ahmann (Ed.). *Home care for the high-risk infant: A family-centered approach* (pp. 45-51). Gaithersburg, MD: Aspen. (Review)

Dokken, D. L., & Sydnor-Greenberg, N. (1998). Helping families mobilize their personal resources. *Pediatric Nursing*, 24(1), 66-69. (Program Description)

Gannon, B. (2000). Caring one day at a time. *Neonatal Network*, 19(5), 25-32. (Program Description).

Gillette, Y., Hansen, N. B., Robinson, J. L., Kirkpatrick, K., & Grywalski, R. (1991). Hospital-based case management for medically fragile infants: Results of a randomized trial. *Patient Education and Counseling*, 17(1): 59-70. (Study)

Green, R. M., & Little, G. A. (Producers). Kahn, R. (Filmmaker). (2003). *In our midst* [Videotape]. Boston, MA: Fanlight Productions.

Hadden, D.S. (2000). The long anticipated day: Strategies for success when a premature infant comes home from the neonatal intensive care unit. *Young Exceptional Children*, 3(2) 21-26. (Review)

Hussey-Gardner, B., McNinch, A., Anastasi, J. M., & Miller, M. (2002). Early intervention best practice: Collaboration among an NICU, an early intervention program and an NICU follow-up program. *Neonatal Network*: 21(3), 15-22. (Program Description)

Mancini, A., & While, A. (2001). Discharge planning from a neonatal unit: An exploratory study of parents' views. *Journal of Neonatal Nursing*, 7(2) 59-62. (Study)

National Association of Neonatal Nurses. (1999). *Discharge guidelines for the technology dependent infant*. Glenview, IL: NANN. (Practice Guidelines)

Slattery, M. J., Flanagan, V., Cronenwett, L. R., Meade, S. K., & Chase, N. S. (1998). Mothers' perceptions of the quality of their infants' back transfer. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 27(4), 394-401. (Study)

Swanson, S. C., & Naber, M. M. (1997). Neonatal integrated home care: Nursing without walls. *Neonatal Network*, 16(7), 33-38. (Program Description)

Evaluation

Ballweg, D. D. (2001). Implementing developmentally supportive family-centered care in the newborn intensive care unit as a quality improvement initiative. *Journal of Perinatal and Neonatal Nursing*, 15(3), 58-73. (Program Description)

Blackington, S. M., & McLauchlan, T. (1995). Continuous quality improvement in the neonatal intensive care unit: Evaluating parent satisfaction. *Journal of Nursing Care Quality*, 9(4), 78-85. (Program Description)

Conner, J. M., & Nelson, E. C. (1999). Neonatal intensive care: Satisfaction measured from a parent's perspective. *Pediatrics*, 103(1 Su), 336-349. (Review)

Galvin, E., Boyers, L., Schwartz, P.K., Jones, M., Money, P., Warwick, J., & et al. (2000). Challenging the precepts of family-centered care: Testing a philosophy. *Pediatric Nursing*, 26(6), 625-632. (Study)

Mitchell-DiCenso, A., Guyatt, G., Paes, B., Blatz, S., Kirpalani, H., Fryers, M., et al. (1996). A new measure of parent satisfaction with medical care provided in the neonatal intensive care unit. *Journal of Clinical Epidemiology*, 49(3), 313-318. (Study)

Petersen, M.F., Cohen, J., & Parsons, V. (2004). Family-centered care: Do we practice what we preach? *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 33(4), 421-427. (Study)

Saunders, R. P., Abraham, M. R., Crosby, M. J., Thomas, K., & Edwards, W. H. (2003). Evaluation and development of potentially better practices for improving family-centered care units. *Pediatrics*, 111(4 pt. 2). e437-449. (Review and Practice Guidelines)

Family Participation in Care

- Ahmann, E., Abraham, M. R., & Johnson, B. H. (2003). *Changing the concept of families as visitors: Supporting family presence and participation*. Bethesda, MD: Institute for Family-Centered Care. (Program Descriptions and Practice Guidelines)
- Als, H., & Gilkerson, L. (1995). Developmentally supportive care in the neonatal intensive care unit. *Zero to Three, 15*(6), 1-10. (Review and Practice Guidelines)
- Anderson, G. C., Chiu, S. H., Dombrowski, M. A., Swinth, J. Y., Albert, J. M., & Wade, N. (2003). Mother-newborn contact in a randomized trial of kangaroo (skin-to-skin) care. *Journal of Obstetric, Gynecologic, and Neonatal Nursing, 32*(5), 604-611. (Study)
- Browne, J. V. (2004). Early relationship environments: Physiology of skin-to-skin contact for parents and their preterm infants. *Clinics in Perinatology, 31*(2), 287-298. (Review)
- Browne, J. V., Sanchez, E., Langlois, A., & Smith, S. (2004). From visitation policies to family participation guidelines in the NICU: The experience of the Colorado consortium of intensive care nurseries. *Neonatal, Paediatric and Child Health Nursing, 7*(2), 16-23. (Study and Program Description)
- Brun, D. A., & McCollum, J. A. (2002). Partnerships between mothers and professionals in the NICU: Caregiving, information exchange and relationships. *Neonatal Network, 21*(7): 15-23. (Study)
- Conde-Agudelo A, Diaz-Rossello J. L., & Belizan J. M. (2003). Kangaroo mother care to reduce morbidity and mortality in low birthweight infants (Cochrane Review). In: *The Cochrane Library, 3*, Oxford: Update Software. (Metanalysis)
- Davis, L., Mohay, H., & Edwards, H. (2003). Mothers' involvement in caring for their premature infants: An historical overview. *Journal of Advanced Nursing, 42*(6), 578-586. (Historical Review)
- Feldman, R., Eidelman, A. I., Sirota, L., & Weller, A. (2002). Comparison of skin-to-skin (kangaroo) and traditional care: Parenting outcomes and preterm infant development. *Pediatrics, 110* (1 Pt. 1): 16-26. (Study)
- Fenwick, J., Barclay, L., & Schmied, V. (2001). Struggling to mother: A consequence of inhibitive nursing interactions in the neonatal nursery. *Journal of Perinatal and Neonatal Nursing, 15*(2), 49-64. (Study)
- Fenwick, J., Barclay, L., & Schmied, V. (1999). Activities and interactions in level II nurseries: A report of an ethnographic study. *Journal of Perinatal and Neonatal Nursing, 13*(1), 53-65. (Study)
- Forsythe, P. (1998). New practices in the transitional care center improve outcomes for babies and their families. *Journal of Perinatology, 18*(6 Pt 2 Su), S13-17. (Program Description)
- Franck, L. S., Allen, A., Cox, S., & Winter, I. (2005). Parents' views about infant pain in the neonatal intensive care. *Clinical Journal of Pain, 21*(2), 133-139. (Study)
- Furman, L. (1995). Nursing the premature infant. *Zero to Three, 15*(6), 24-29. (Review)
- Furman, L., Minich, N., & Hack, M. (2002). Correlates of lactation in mothers of very low birth weight infants. *Pediatrics, 109*(4), e57. (Study)
- Gale, G., & Franck, L. (1998). Toward a standard of care for parents of infants in the neonatal intensive care unit. *Critical Care Nurse, 18*(5), 62-74. (Review)

- Gordin, P., & Johnson, B. H. (1999). Technology and family-centered perinatal care: Conflict or synergy. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 28(4), 401-408. (Review)
- Griffin, T. (1998). The visitation policy. *Neonatal Network*, 17(2), 75-76. (Review)
- Griffin, T. (1998). Visitation patterns: The parents who visit "too much." *Neonatal Network*, 17(7), 67-68. (Review)
- Griffin, T., Meier, P. P., Bradford, L. P., Bigger, H. R., & Engstrom, J. L. (2002). Mother's performing creatamocrit measures in the NICU: Accuracy, reactions, and cost. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 29(3), 249-257. (Study)
- Harrison, H. (1993). The principles for family-centered neonatal care. *Pediatrics*, 92 (5), 643-650. (Commentary and Review)
- Heermann, J. A., & Walburn, K. S. (2000). Influence of family focused developmental care on mothers of preterm infants. Presented at *The Physical and Developmental Environment of the High Risk Infant* (January 29 - February 1), Clearwater, FL. (Study)
- Heermann, J. A., Wilson, M. E., & Wilhelm, P. A. (2005). Mother in the NICU: Outsider to partner. *Pediatric Nursing*, 31(3), 176-200. (Study)
- Holloway, E. (1994). Parent and occupational therapist collaboration in the neonatal intensive care unit. *American Journal of Occupational Therapy*, 48(6), 535-538. (Review and Practice Guidelines)
- Hurst, I. (1993). Facilitating parental involvement through documentation. *Journal of Perinatal and Neonatal Nursing*, 7(2), 80-90. (Review)
- Hurst, N. M., Valentine, C. J., Renfro, L., Burns, P., & Ferlic, L. (1997). Skin-to-skin holding in the neonatal intensive care unit influences maternal milk volume. *Journal of Perinatology*, 17(3), 213-217. (Study)
- Kennell, J. K. (1999). The humane neonatal care initiative. *ACTA Paediatrica*, 88, 367-370. (Commentary)
- Kledzik, T. (2005). Holding the very low birth weight infant: Skin-to-skin techniques. *Neonatal Network*, 24(1), 7-14. (Practice Guidelines)
- Lawhon, G. (2002). Facilitation of parenting the premature infant within the newborn intensive care unit. *Journal of Perinatal and Neonatal Nursing*, 16(1), 71-82. (Review)
- Lawhon, G. (1994). Facilitating parenting in the NICU. *Advance for Nurse Practitioners*, 2(6), 27-32. (Review)
- Levin, A. (1999). Humane neonatal care initiative. *ACTA Paediatrica*, 88(4), 353-355. (Commentary)
- Meier, P.P., Engstrom, J.L., Mingoletti, S.S., Miracle, D.J., & Kiesling, S. (2004). The Rush mother's milk club: Breastfeeding interventions for mothers with very-low-birth-weight infants. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 33(2), 164-173. (Study)
- Meyer, E. C., Garcia Coll, C. T., Lester, B. M., Boukydis, C. F., McDonough, S. M., & Oh, W. (1994). Family-based intervention improves maternal psychological well-being and feeding interaction of preterm infants. *Pediatrics*, 93(2), 241-246. (Study)
- Morton, J.A. (2000). Strategies to support extended breastfeeding of the premature infant. *Advances in Neonatal Care*, 2(5), 267-284. (Program Description)

- Neu, M. (1999). Parents' perception of skin-to-skin care with their preterm infants requiring assisted ventilation. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 28(2), 157-164. (Study)
- Raines, D.A. (1996). Parents' values: A missing link in the neonatal intensive care equation. *Neonatal Network*, 15(3), 7-12. (Review)
- Robinson, T. M. S. (1992). Special teaching needs of teen parents. *Neonatal Network*, 11(1), 65-66. (Review)
- Spicer, K. (2001). What every nurse needs to know about breast pumping: Instructing and supporting mothers of premature infants in the NICU. *Neonatal Network*, 20(4), 35-39. (Review)
- Sweeney, M. M. (1997). The value of a family-centered approach in the NICU and PICU: One family's perspective. *Pediatric Nursing*, 23(1), 64-66. (Review)
- Sydnor-Greenberg, N., & Dokken, D. (2000). Coping and caring in different ways: Understanding and meaningful involvement. *Pediatric Nursing*, 26(2), 185-190. (Program Description)
- Victor, L., & Persoon, J. (1994). Implementation of kangaroo care: A parent-health care team approach to practice change. *Critical Care Nursing Clinics of North America*, 6(4), 891-895. (Program Description)

Family Support

- Affleck, G., & Tennen, H. (1991). The effect of newborn intensive care on parents' psychological well-being. *Children's Health Care*, 20(1), 6-14. (Study)
- Affleck, G., Tennen, H., & Rowe, J. (1991). *Infants in crisis: How parents cope with newborn intensive care and its aftermath*. New York: Springer-Verlag. (Study)
- Bass, L. S. (1991). What do parents need when their infant is a patient in the NICU? *Neonatal Network*, 10(4), 25-33. (Study)
- Boukydis, C. F. Z., & Moses, L. (1995). Establishing and maintaining a parenting network for parents of premature/high-risk infants. *Infants and Young Children*, 7(4), 77-87. (Review)
- Bracht, M., Kandankery, A., Nodwell, S., & Stade, B. (2002). Cultural differences and parental responses to the preterm infant at risk: Strategies for supporting families. *Neonatal Network*, 21(6), 31-38. (Program Description)
- Charchuk, M., & Simpson, C. (2003). Loyalty and hope: Keys to parenting in the NICU. *Neonatal Network*, 22(4), 39-45. (Review)
- Dyer, K. A. (2005). Identifying, understanding, and working with grieving parents in the NICU, Part I: Identifying and understanding loss and the grief response. *Neonatal Work*, 24(3), 35-47. (Review)
- Dyer, K. A. (2005). Identifying, understanding, and working with grieving parents in the NICU, Part II: Strategies. *Neonatal Work*, 24(4), 27-40. (Practice Guidelines)
- Gardner, G., Barrett, T., Coonan, K., Cox, H., & Roberson, B. (2002). Parent support programmes in neonatal intensive care: Researching the issues. *Neonatal, Paediatric and Child Health Nursing*, 5(1), 20-25. (Study)
- Griffin, T., Wishba, C., & Kavanaugh, K. (1998). Nursing interventions to reduce stress in parents of hospitalized preterm infants. *Journal of Pediatric Nursing*, 13(5), 290-295. (Review)
- Hewitt, B. E. (2003). The challenge of providing family-centered care during air transport: An example of reflection on action in nursing practice. *Contemporary Nurse*, 15(1-2), 118-124. (Review)

- Hurst, I. (2004). Imposed burdens: A Mexican American mother's experience of family resources in a newborn intensive-care unit. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 33(2), 156-163. (Study)
- Jarrett, M. H. (1996). Parent Partners: A parent-to-parent support program in the NICU: Part 1: Program development. *Pediatric Nursing*, 22(1), 60-63. (Program Description)
- Jarrett, M. H. (1996). Parent partners: A parent-to-parent support program in the NICU: Part II: Program implementation. *Pediatric Nursing*, 22(2), 142-145,149. (Program Description)
- Lindsay, J. K, Roman, L. A., DeWys, M., Eager, M., Levick, J., & Quinn, M. (1993). Creative caring in the NICU: Parent-to-parent support. *Neonatal Network*, 12(4), 37-44. (Program Description)
- Macnab, A. J., Beckett, L. Y., Park, C. C., & Sheckter, L. (1998). Journal writing as a social support strategy for parents of premature infants: A pilot study. *Patient Education and Counseling*, 33(2), 149-159. (Study and Program Description)
- Maroney, D. (1994). Helping parents survive the emotional "roller coaster ride" in the newborn intensive care unit. *Journal of Perinatology*, 14(2), 131-133. (Commentary)
- McGrath, J. M. (2001). Building relationships with families in the NICU: Exploring the guarded alliance. *Journal of Perinatal and Neonatal Nursing*, 15(3), 74-83. (Review)
- McGrath, M. M., & Meyer, E. C. (1992). Maternal self-esteem: From theory to clinical practice in a special care nursery. *Children's Health Care*, 21(4), 199-205. (Review)
- Meyer, E. C., Lester, B. M., Boukydis, C. F. Z., & Bigsby, R. (1998). Family-based intervention with high-risk infants and their families. *Journal of Clinical Psychology in Medical Settings*, 5(1), 49-69. (Review and Program Description)
- Miles, M. S., & Holditch-Davis, D. (1997). Parenting the prematurely born child: Pathways of influence. *Seminars in Perinatology*, 21(3), 254-266. (Review)
- Nystrom, K., & Axelsson, K. (2002). Mothers' experience of being separated from their newborns. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 31(3), 275-282. (Study)
- Preyde, M., & Ardal, F. (2003). Effectiveness of a parent "buddy" program for mothers of very preterm infants in a neonatal intensive care unit. *Canadian Medical Association Journal*, 168(8), 969-973. (Program Evaluation)
- Preyde, M., Ardal, F., & Bracht, M. (2001). Mothers' perceptions of the parent buddy program: A program for parents of very pre-term hospitalized infants. *Canadian Social Work*, 3(2), 43-56. (Study)
- Prudhoe, C. M., & Peters, D. L. (1995). Social support of parents and grandparents in the neonatal intensive care unit. *Pediatric Nursing*, 21(2), 140-146. (Study)
- Roman, L. A., Lindsay, J. K., Boger, R. P., DeWys, M., Beaumont, E. J., Jones, A. S., et al. (1995). Parent-to-parent support initiated in the neonatal intensive care unit. *Research in Nursing & Health*, 18(5), 385-394. (Study)
- Spear, M.L., Leef, K., Epps, S., & Locke, R. (2002). Family reactions during infants' hospitalization in the neonatal intensive care unit. *American Journal of Perinatology*, 19(4), 205-213. (Study)
- Ware, L. A. (1992). Results of research on the stability of parent support groups in neonatal intensive care units. *Neonatal Intensive Care*, 5(3), 28-32. (Study)

General

- Brown, W., Pearl, L. F., & Carrasco, N. (1991). Evolving models of family-centered services in neonatal intensive care. *Children's Health Care, 20*(1), 50-55. (Review)
- Dobbins, N., Bohlig, C., & Sutphen, J. (1994). Partners in growth: Implementing family-centered changes in the neonatal intensive care unit. *Children's Health Care, 23*(2), 115-126. (Study)
- Hanson, J. L., Johnson, B. H., Jeppson, E. S., Thomas, J., & Hall, J. H. (1994). *Hospitals moving forward with family-centered care*. Bethesda, MD: Institute for Family-Centered Care. (Review)
- Hurst, I. (2001). Vigilant watching over: Mothers' actions to safeguard their premature babies in the newborn intensive care nursery. *Journal of Perinatal and Neonatal Nursing, 15*(3), 39-57. (Study).
- O'Brien, M., & Dale, D. (1994). Family-centered services in the neonatal intensive care unit: A review of research. *Journal of Early Intervention, 18*(1), 78-90. (Review)
- Rushton, C. H. (1990). Family-centered care in the critical care setting: Myth or reality? *Children's Health Care, 19*(2), 68-78. (Review)
- Thurman, S. K. (1991). Parameters for establishing family-centered neonatal intensive care services. *Children's Health Care, 20*(1), 34-39. (Review)
- Van Riper, M. (2001). Family-provider relationships and well-being in families with preterm infants in the NICU. *Heart & Lung, 30*(1), 74-84. (Study)
- Wereszczak, J., Miles, M. S., & Holditch-Davis, D. (1997). Maternal recall of the neonatal intensive care unit. *Neonatal Network, 16*(4), 33-40. (Study)
- Wyly, M. V. (1995). Family-centered care in the NICU. In M. V. Wyly, *Premature infants and their families*, (pp.225-253). San Diego, CA: Singular Publishing. (Review)

Information Sharing and Decision-Making

- Able-Boone, H., Dokecki, P. R., & Smith, M. S. (1989). Parent and health care provider communication and decision making in the intensive care nursery. *Children's Health Care, 18*(3), 133-141. (Study)
- Anspach, R. R. (1993). *Deciding who lives: Fateful choices in the intensive-care nursery*. Berkeley, CA: University of California Press. (Study)
- Basto, P. (1993). Ethical decision making in the neonatal intensive care unit. *Bioethics Forum, 9*(4), 22-27. (Review)
- Becker, P. T., & Grunwald, P. C. (2000). Contextual dynamics of ethical decision-making in the NICU. *Journal of Perinatal and Neonatal Nursing, 14*(2), 58-72. (Review)
- Benitz, W. E. (1993). A paradigm for making difficult choices in the intensive care nursery. *Cambridge Quarterly of Healthcare Ethics, 2*(3), 280-294. (Review)
- Brazy, J.E., Anderson, B.M., Becker, P.T., & Becker, M. (2001). How parents of premature infants gather information and obtain support. *Neonatal Network, 20*(2), 41-48. (Study)
- Catlin, A. (2005). Thinking outside the box: Prenatal care and the call for a prenatal advance directive. *Journal of Perinatal & Neonatal Nursing, 19*(2), 169-176. (Review)
- Curley, M.A., & Meyer, E.C. (2003). Parental experience of highly technical therapy: Survivors and nonsurvivors of extracorporeal membrane oxygenation support. *Pediatric Critical Care Medicine, 4*(2), 214-219. (Study)

- Doroshow, R. W., Hodgman, J. E., Pomerance, J. J., Ross, J. W., Michel, V. J., Lockett, P. M., et al. (2000). Treatment decisions for newborns at the threshold of viability: An ethical dilemma. *Journal of Perinatology, 20*(6), 379-383. (Commentary)
- Gray, J. E., Safran, C., Davis, R. B., Pompilio-Weitzner, G., Stewart, J. E., Zaccagnini, L., et al. (2000). Baby Carelink: Using the Internet and telemedicine to improve care for high-risk infants. *Pediatrics, 106*(6), 1318-1324. (Study)
- Griffin, T., Kavanaugh, K., Soto, C. F., & White, M. (1997). Parental evaluation of a tour of the neonatal intensive care unit during a high risk pregnancy. *Journal of Obstetric, Gynecologic, and Neonatal Nursing, 26*(1), 59-65. (Study)
- Halamek, L. P. (2001). The advantages of a prenatal consultation by a neonatologist. *Journal of Perinatology, 20*(6), 116-120. (Review)
- Hurst, I. (2005). The legal landscape at the threshold of viability for extremely premature infants: A nursing perspective, Part I. *Journal of Perinatal and Neonatal Nursing, 19*(2), 155-166. (Historical Review)
- Hurst, I. (2005). The legal landscape at the threshold of viability for extremely premature infants: A nursing perspective, Part II. *Journal of Perinatal and Neonatal Nursing, 19*(3), 253-262. (Review)
- Kahn, R. (Producer) *Dreams and Dilemmas* [Videotape]. Boston, MA: Fanlight Productions. (Tutorial)
- Kassity, N. (1999). Should parents participate in patient rounds in the NICU? Writing for the pro position. *Maternal and Child Nursing, 24*(2), 64-65. (Commentary)
- King, N. M. P. (1992). Transparency in neonatal intensive care. *Hastings Center Report, 22*, 18-25. (Review)
- Koh, T., & Jarvis, C. (1998). Promoting effective communication in neonatal intensive care units by audiotaping doctor-patient conversations. *International Journal of Clinical Practice, 52*(1), 27-29. (Study)
- Little, G.A. (Producer) Bell, J. (Filmmaker). (2001). *Parents on rounds* [Videotape]. Available from the Institute for Family-Centered Care: Bethesda, MD.
- Lockridge, T. (1999). Should parents participate in rounds in the NICU? Writing for the con position. *Maternal Child Nursing, 24*(2), 65. (Commentary)
- Loo, K. K., Espinosa, M., Tyler, R., & Howard, J. (2003). Using knowledge to cope with stress in the NICU: How parents integrate learning to read the physiologic and behavioral cues of the infant. *Neonatal Network, 22*(1), 31-37. (Review)
- Luckner, K. R., & Weinfeld, I. J. (1995). Informed consent as a parent involvement model in the NICU. *Bioethics Forum, 11*(1), 35-41. (Review)
- Martin, G. I. (1999). Communication gap. *Journal of Perinatology, 19*(7), 477-478. (Commentary)
- McGrath, J. M. (2005). Partnerships with families: A foundation to support them in difficult times. *Journal of Perinatal & Neonatal Nursing, 19*(2), 94-96. (Review and Guidelines)
- Meck, N. E., Fowler, S. A., Claflin, K., & Rasmussen, L. B. (1995). Mothers' perceptions of their NICU experience 1 and 7 months after discharge. *Journal of Early Intervention, 19*(3), 288-301. (Study)

- Montalvo, N., & Vila, B. P. (1999). Parents' grand rounds speech on neonatal intensive care experience. *Journal of Perinatology*, 19(7), 525-527. (Commentary)
- Morley, C. J., Lau, R., Davis, P. G., & Morse, C. (2005). What do parents think about enrolling their premature babies in several research studies? *Arch Dis Child Fetal Neonatal Ed*, 90, F225-F228. (Study)
- Orfali, K., & Gordon, E. J. (2004). Autonomy gone awry: A cross-cultural study of parents' experiences in the neonatal intensive care units. *Theoretical Medicine*, 25, 329-365. (Study)
- Partridge, J. C., Freeman, H., Weiss, E., & Martinez, A. M. (2001). Delivery room resuscitation decisions for extremely low birthweight infants in California. *Journal of Perinatology*, 21(1), 27-33. (Study).
- Paul, D. A., Epps, S., Leef, K. H, & Stefano, J. L. (2001). Prenatal consultation with a neonatologist prior to preterm delivery. *Journal of Perinatology*, 21(7), 431-437. (Study)
- Penticuff, J. H., & Arheart, K. L. (2005). Effectiveness of an intervention to improve parent-professional collaboration in neonatal intensive care. *Journal of Perinatal & Neonatal Nursing*, 19(2), 187-202. (Study)
- Pinch, W. J. (2002). *When the bough breaks: Parental perception of ethical decision-making in the NICU*. Lanham, MD: University Press of America, Inc. (Review and Study)
- Pinch, W. J., & Spielman, M. L. (1996). Ethics in the neonatal intensive care unit: Parental perceptions at four years postdischarge. *Advances in Nursing Science*, 19(1), 72-85. (Study)
- Pinch, W. J., & Spielman, M. L. (1993). Parental perceptions of ethical issues post-NICU discharge. *Western Journal of Nursing Research*, 15(4), 422-437. (Study)
- Pinch, W. J., & Spielman, M. L. (1990). The parents' perspective: Ethical decision-making in neonatal intensive care. *Journal of Advanced Nursing*, 15, 712-719. (Study)
- Raines, D. A. (1999). Suspended mothering: Women's experiences mothering an infant with a genetic anomaly identified at birth. *Neonatal Network*, 18(5), 35-39. (Study)
- Rodriguez, N. A., Miracle, D. J., & Meier, P.M. (2005). Sharing the science on human milk feedings with mothers of very-low-birth-weight infants. *Journal of Obstetrics, Gynecologic, and Neonatal Nursing*, 34(1), 109-119. (Review and Program Description)
- Stark, J., & Thape, J. (1993). Decision making in neonatal intensive care: A collaboration of parents, physicians, and nurses. *Clinical Issues in Perinatology and Women's Health Nursing*, 4(4), 589-595. (Review)
- Sudia-Robinson, T. M., & Freeman, S. B. (2000). Communication patterns and decision-making among parents and health care providers in the neonatal intensive care unit: A case study. *Heart & Lung*, 29(2), 143-148. (Study).
- Ward, F. R. (2005). Parents and professionals in the NICU: Communication within the context of ethical decision making – An integrative review. *Neonatal Network*, 24(3), 25-33. (Review)
- Wocial, L. D. (2000). Life support decisions involving imperiled infants. *Journal of Perinatal and Neonatal Nursing*, 14(2), 73-86. (Study)

Organizational Change/Staff Development

- Ahmann, E., & Lawrence, J. (1999). Exploring language about families. *Pediatric Nursing*, 25(2), 221-224. (Program Description)
- Browne, J. V., & Smith-Sharp, S. (1995). The Colorado consortium of intensive care nurseries: Spinning a web of support for Colorado infants and families. *Zero to Three*, 15(6), 18-23. (Review and Program Description)
- DeGuehery, K. A., & Noyes, S. L. (1998). Family-centered care: Application to practice. *Mother Baby Journal*, 3(1), 26-32. (Program Description)
- Gilkerson, L., & Als, H. (1995). Role of reflective process in the implementation of developmentally supportive care in the newborn intensive care nursery. *Infants and Young Children*, 7(4), 20-28. (Program Description)
- Griffin, T. (1990). Nurse barriers to parenting in the special care nursery. *Journal of Neonatal Nursing*, 4(2), 56-57. (Review)
- Hanson, J. L., Jeppson, E. S., Johnson, B. H., & Thomas, J. (1997). *Newborn intensive care: Resources for family-centered practice*. Bethesda, MD: Institute for Family-Centered Care. (Tutorial and Practice Guidelines)
- Heerman, J. A., & Wilson, M. E. (2000). Nurses' experiences working with families in an NICU during implementation of family-focused developmental care. *Neonatal Network*, 19(4), 23-29. (Study)
- Johnson, B. (1995). Newborn intensive care units pioneer family-centered change in hospitals across the country. *Zero to Three*, 15(6), 11-17. (Review)
- Johnson, B. H., & Hanson, J. L. (Executive Producers). (1996). *Newborn intensive care: Changing practice, changing attitudes*. [Videotape]. Bethesda, MD: Institute for Family-Centered Care. (Program Description, Tutorial, and Study Guide)
- Institute for Family-Centered Care. (2003). *Partnerships with families in newborn intensive care...Enhancing quality and safety* [Videotape]. Bethesda, MD: Institute for Family-Centered Care.
- Kledzik, T., & Howell, V. (1996). On becoming an NICU. *Neonatal Network*, 15(8), 25-32. (Program Description)
- Mefford, L. C. (2004). A theory of health promotion for preterm infants based on Levine's conservation model of nursing. *Nursing Science Quarterly*, 17(3), 260-266. (Review)
- Miller, M., Mutton, C., & Williams, B. F. (1993). Collaborative experiences for NICU and early childhood education personnel. *Neonatal Network*, 12(7), 37-42. (Program Description)
- Moore, K.A., Coker, K., DuBuisson, A.B., Swett, B., & Edwards, W.H. (2003). Implementing potentially better practices for improving family-centered care in neonatal intensive care units. *Pediatrics*, 111(4 pt. 2), e450-460. (Program Description)
- National Association of Neonatal Nurses. (2000). *Infant and family-centered developmental care*. Glenview, IL: NANN. (Practice guidelines)
- Nyqvist, K. H., & Karlsson, K. H. (1997). A philosophy of care for a neonatal intensive care unit. *Scandinavian Journal of Caring Sciences*, 11(2), 91-96. (Study and Program Description)
- Robison, L.D. (2003). An organizational guide for an effective developmental program in the NICU. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 32(3), 379-386. (Review)

Walburn, K. S., Heermann, J. A., & Balsillie, L. J. (1997). Training in family-focused developmental care: Bridging the gap between traditional and family-centered care in a neonatal intensive care unit. *Infants and Young Children, 10*(2), 46-56. (Program Description)

Webster, P. D., & Johnson, B. H. (1999). *Developing family-centered vision, mission, and philosophy of care statements*. Bethesda, MD: Institute for Family-Centered Care. (Review and Practice Guidelines)

Wyly, V., & Allen, J. (1995). Early intervention and the NICU health professional: An interdisciplinary training model. *Zero to Three, 15*(6), 30-35. (Program Description)

Wyly, M. V., Allen, J., Pfalzer, S. M., & Wilson, J. R. (1996). Providing a seamless service system from hospital to home: The NICU training project. *Infants and Young Children, 8*(3), 77-84. (Program Description)

Siblings

Andrade, T. M. (1998). Sibling Visitation: Research implications for pediatric and neonatal patients. *The Online Journal of Knowledge Synthesis for Nursing- Abstract, 5*, Doc. No. 6. Retrieved April 27, 2002, from <http://www.ref.oclc.org>. (Review)

Meyer, E. C., Kennaly, K. F., Zika-Beres, E., Cashore, W. J., & Oh, W. (1996). Attitudes about sibling visitation in the neonatal intensive care unit. *Archives of Pediatric and Adolescent Medicine, 150*, 1021-1026. (Study)

Montgomery, L. A., Kleiber, C., Nicholson, C., & Craft-Rosenberg, M. (1997). A research-based sibling visitation program for the neonatal ICU. *Critical Care Nurse, 17*(2), 29-40. (Program Description)

Newman, C. B., & McSweeney, M. (1990). A descriptive study of sibling visitation in the NICU. *Neonatal Network, 9*(4), 27-31. (Study)

Shea-McAleavey, C. E., & Janusz, H. B. (1991). Sibling visitation - A plan for change. *Dimensions of Critical Care Nursing, 10*(4), 218-222. (Program Description)

Solheim, K., & Spellacy, C. (1988). Sibling visitation: Effects on newborn infection rates. *Journal of Obstetrics, Gynecologic, and Neonatal Nursing, 17*(1), 43-48. (Study)

NOTE: Two new articles from the Vermont Oxford Network NIC/Q 2002 Collaborative are expected to be published in *Pediatrics* in 2006. They are not formally "in press" yet.

Dunn, M. S., Reilly, M. C., Johnston, A. M., Hoopes Jr., R. D., & Abraham, M. R. Development and dissemination of potentially better practices for the provision of family-centered care in neonatology – The family-centered care map. *Pediatrics*. (Review and Practice Guidelines)

Johnston, A. M., Bullock, C. E., Graham, J. E., Reilly, M. C., Rocha, C., Hoopes Jr., R. D et al. Implementation of potentially better practices for family-centered care: The family-centered care map. *Pediatrics*. (Project Description)